

L Number	Hits	Search Text	DB	Time stamp
29	45	(resin flexib\$4 resilient rubber recoiling retroactiv\$3 elasti\$3) near5 coupling same motor and 360/\$.ccls.	USPAT; US-PGPUB	2004/07/14 13:42
30	280	(resin flexib\$4 resilient rubber recoiling retroactiv\$3 elasti\$3) near5 coupling same motor same (disc disk) 10/088647	USPAT; US-PGPUB	2004/07/14 13:42
-	0		USPAT; US-PGPUB	2004/07/12 11:10
-	0	air near3 bearing near5 (certif\$3 writ\$3 verif\$3) near4 (head transduc\$3) and (independent\$3 separat\$3) near4 (motor drive) same belt same (resilient coupl\$3)	USPAT; US-PGPUB	2004/07/12 11:13
-	0	air near3 bearing near5 (certif\$3 writ\$3 verif\$3) near4 (head transduc\$3) and (independent\$3 separat\$3) near4 (motor drive) same belt same (resilient coupl\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/07/12 11:13
-	0	air\$2bearing near5 (certif\$3 writ\$3 verif\$3) near4 (head transduc\$3) and (independent\$3 separat\$3) near4 (motor drive) same belt same (resilient coupl\$3)	EPO; JPO; DERWENT; IBM_TDB	2004/07/12 11:13
-	0	air\$2bearing near5 (certif\$3 writ\$3 verif\$3) near4 (head transduc\$3) and (independent\$3 separat\$3) near4 (motor drive) same belt same (resilient coupl\$3)	USPAT; US-PGPUB	2004/07/12 11:28
-	0	air\$2bearing near5 (certif\$3 writ\$3 verif\$3 reocrd\$3) near4 (head transduc\$3) and (independent\$3 separat\$3) near4 (motor drive) same belt same (resilient coupl\$3)	USPAT; US-PGPUB	2004/07/12 11:30
-	1	(air\$2bearing air bearing) near5 (certif\$3 writ\$3 verif\$3 record\$3) near4 (head transduc\$3) and (independent\$3 separat\$3) near4 (motor drive) same belt same (resilient coupl\$3)	USPAT; US-PGPUB	2004/07/12 11:32
-	1085	(independent\$3 separat\$3) near4 (motor drive) same belt same (resilient coupl\$3)	USPAT; US-PGPUB	2004/07/12 11:32
-	3519	(air\$2bearing air bearing) near5 (certif\$3 writ\$3 verif\$3 record\$3) near4 (head transduc\$3)	USPAT; US-PGPUB	2004/07/12 11:33
-	4	(air\$2bearing air bearing) near5 (certif\$3 writ\$3 verif\$3 record\$3) near4 (head transduc\$3) and (independent\$3 separat\$3) near5 (motor drive) near5 belt	USPAT; US-PGPUB	2004/07/12 11:34
-	254	(air\$2bearing air bearing) near5 (certif\$3 writ\$3 verif\$3 record\$3) near4 (head transduc\$3) and (independent\$3 separat\$3) near5 (motor drive)	USPAT; US-PGPUB	2004/07/12 11:35
-	119	(air\$2bearing air bearing) near5 (certif\$3 writ\$3 verif\$3 record\$3) near4 (head transduc\$3) and (independent\$3 separat\$3) near2 (motor drive)	USPAT; US-PGPUB	2004/07/12 11:36
-	37	(air\$2bearing air bearing) near5 (certif\$3 writ\$3 verif\$3 record\$3) near4 (head transduc\$3) and (separat\$3) near2 (motor)	USPAT; US-PGPUB	2004/07/12 12:27
-	36	(air\$2bearing air bearing) near5 (certif\$3 writ\$3 verif\$3 record\$3) near4 (head transduc\$3) and (belt) near2 (motor)	USPAT; US-PGPUB	2004/07/12 11:42
-	2	3855623.URPN.	USPAT	2004/07/12 12:15
-	7	(air\$2bearing air bearing) near5 (certif\$3 writ\$3 verif\$3 record\$3) near4 (head transduc\$3) and (independent\$3) near2 (motor)	USPAT; US-PGPUB	2004/07/12 12:24
-	1	(air\$2bearing air bearing) near5 (certif\$3 writ\$3 verif\$3 record\$3) near4 (head transduc\$3) and (separat\$3 belt) near2 (motor)	EPO; JPO; DERWENT; IBM_TDB	2004/07/12 12:31

-	0	(air\$2bearing air bearing) near5 (certif\$3 verif\$3) near4 (head transduc\$3) and (air\$2bearing air bearing) near5 (writ\$3 record\$3) near4 (head transduc\$3) and (air\$2bearing air bearing) near5 (rotary carrier)	EPO; JPO; DERWENT; IBM_TDB	2004/07/12 12:32
-	0	(air\$2bearing air bearing) near5 (certif\$3 verif\$3) near4 (head transduc\$3) and (air\$2bearing air bearing) near5 (writ\$3 record\$3) near4 (head transduc\$3) and (air\$2bearing air bearing) near5 (rotary carrier)	EPO; JPO; DERWENT; IBM_TDB	2004/07/12 12:33
-	0	(air\$2bearing air bearing) near5 (certif\$3 verif\$3) near4 (head transduc\$3) and (air\$2bearing air bearing) near5 (writ\$3 record\$3) near4 (head transduc\$3) and (air\$2bearing air bearing) near5 (rotary carrier)	USPAT; US-PGPUB	2004/07/12 12:35
-	0	(air\$2bearing air bearing) near5 (certif\$3 verif\$3) near4 (head transduc\$3) and (air\$2bearing air bearing) near5 (writ\$3 record\$3) near4 (head transduc\$3)	USPAT; US-PGPUB	2004/07/12 12:35
-	51	(air\$2bearing air bearing) near5 (certif\$3 verif\$3) and (air\$2bearing air bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 12:36
-	3	(air\$2bearing air near1 bearing) near5 (certif\$3 verif\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 12:41
-	3	(air\$2bearing air near1 bearing) near5 (certif\$3 verif\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 12:40
-	1058	(air\$2bearing air near1 bearing) near5 (examin\$3 read\$4 reproduc\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 12:47
-	11	(air\$2bearing air near1 bearing) near5 (examin\$3 read\$3 reproduc\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3) and (separat\$3 belt) near2 (motor)	USPAT; US-PGPUB	2004/07/12 12:45
-	0	(air\$2bearing air near1 bearing) near5 (examin\$3 read\$3 reproduc\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3) and (independ\$3) near2 (motor)	USPAT; US-PGPUB	2004/07/12 12:47
-	39	(air\$2bearing air near1 bearing) near5 (examin\$3 read\$4 reproduc\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3) and (air\$2bearing air near1 bearing) near5 (rotary carrier)	USPAT; US-PGPUB	2004/07/12 14:00
-	0	(air\$2bearing air near1 bearing) near5 (examin\$3 read\$4 reproduc\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3) and (air\$2bearing air near1 bearing) near5 (rotary adj carrier)	USPAT; US-PGPUB	2004/07/12 14:01
-	9	(air\$2bearing air near1 bearing) near5 (examin\$3 read\$4 reproduc\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3) and (air\$2bearing air near1 bearing) near5 (motor)	USPAT; US-PGPUB	2004/07/12 14:09
-	22	("4626941"   "4789913"   "5097368"   "5138506"   "5193046"   "5202803"   "5267104"   "5278711"   "5285337"   "5317463"   "5331487"   "5346518"   "5526204"   "5543984"   "5559650"   "5612838"   "5618639"   "5680273"   "5742449"   "5757581"   "5820964"   "5835305").PN.	USPAT	2004/07/12 14:06

-	2	(air\$2bearing air near1 bearing) near5 (examin\$3 read\$4 reproduc\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3) and (air\$2bearing air near1 bearing) near5 (shaft)	USPAT; US-PGPUB	2004/07/12 14:11
-	14	(air\$2bearing air near1 bearing) near5 (examin\$3 read\$4 reproduc\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3) and (air\$2bearing air near1 bearing) near5 (spindle)	USPAT; US-PGPUB	2004/07/12 14:38
-	6	4509160.URPN.	USPAT	2004/07/12 14:34
-	2	(air\$2bearing air near1 bearing) near5 (certif\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 14:39
-	3	(air\$2bearing air near1 bearing) near5 (certif\$3 verif\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 14:40
-	3	(air\$2bearing air near1 bearing) near5 (certif\$5 verif\$5) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 15:23
-	121	(certif\$5 verif\$5) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 14:44
-	34	(certif\$5 verif\$5) near3 (head transducer) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 14:44
-	0	20020044369.URPN.	USPAT	2004/07/12 15:08
-	1	"0988558"	USPAT	2004/07/12 15:13
-	1	"6292316"	USPAT	2004/07/12 15:13
-	0	6292316.URPN.	USPAT	2004/07/12 15:19
-	6	("4069484"   "4896227"   "4935811"   "6081113"   "6134955"   "6140814").PN.	USPAT	2004/07/12 15:19
-	115	(air\$2bearing air near1 bearing) near5 (certif\$5 verif\$5 measur\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 15:23
-	88	(air\$2bearing air near1 bearing) near2 (certif\$5 verif\$5 measur\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 15:24
-	8	(air\$2bearing air near1 bearing) near5 (certif\$5 verif\$5 measur\$3) near2 (head transducer) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 15:27
-	1052	(air\$2bearing air near1 bearing) near5 (read\$3 reproduc\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 15:28
-	0	(air\$2bearing air near1 bearing) near5 (read\$3 reproduc\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3) same servowriting	USPAT; US-PGPUB	2004/07/12 15:28
-	31	(air\$2bearing air near1 bearing) near5 (read\$3 reproduc\$3) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3) same servo	USPAT; US-PGPUB	2004/07/12 15:36
-	3	(air\$2bearing air near1 bearing) near5 (certif\$4 verif\$4) and (air\$2bearing air near1 bearing) near5 (writ\$3 record\$3)	USPAT; US-PGPUB	2004/07/12 15:37
-	137	(certif\$3 verif\$3 measur\$3 detect\$3) near5 (air\$2bearing air near2 bearing) and (writ\$3 record\$3) near5 (air\$2bearing air near2 bearing)	USPAT; US-PGPUB	2004/07/13 14:28
-	108	(servo near2 writ\$3 servo\$2writ\$3) same (verif\$3)	USPAT; US-PGPUB	2004/07/13 14:28
-	139	29/603.03 and (air\$2bearing air near2 bearing)	USPAT	2004/07/13 15:13

-	143	29/603.03 and (air\$2bearing air near2 bearing)	USPAT	2004/07/13 15:13
-	67	29/603.03.ccls. and (air\$2bearing air near2 bearing)	USPAT	2004/07/13 15:13
-	3601	resilient near3 coupling	USPAT	2004/07/13 15:51
-	0	resilient near3 coupling same separat\$3 same motor same (disc disk)	USPAT	2004/07/13 15:52
-	0	resilient near3 coupling same separat\$3 same motor same (disc disk)	USPAT	2004/07/13 15:52
-	0	resilient near3 coupling same separat\$3 same motor same (disc disk)	USPAT; US-PGPUB	2004/07/13 15:52
-	2	resilient near3 coupling same (independent\$3 separat\$3) same motor same (disc disk)	USPAT; US-PGPUB	2004/07/13 15:53
-	122	resilient same (independent\$3 separat\$3) same motor same (disc disk)	USPAT; US-PGPUB	2004/07/13 15:56
-	16	(resin flexib\$4 resilient) near2 coupling same (independent\$3 separat\$3) same motor same (disc disk)	USPAT; US-PGPUB	2004/07/13 15:58
-	17	(resin flexib\$4 resilient rubber) near2 coupling same (independent\$3 separat\$3) same motor same (disc disk)	USPAT; US-PGPUB	2004/07/13 15:59
-	17	(resin\$3 flexib\$4 resilient rubb\$3) near2 coupling same (independent\$3 separat\$3) same motor same (disc disk)	USPAT; US-PGPUB	2004/07/13 15:58
-	18	(resin flexib\$4 resilient rubber recoling retroactiv\$3 elasti\$3) near2 coupling same (independent\$3 separat\$3) same motor same (disc disk)	USPAT; US-PGPUB	2004/07/13 16:00
-	24	(resin flexib\$4 resilient rubber recoling retroactiv\$3 elasti\$3) near5 coupling same (independent\$3 separat\$3) same motor same (disc disk)	USPAT; US-PGPUB	2004/07/13 16:01
-	32	(resin flexib\$4 resilient rubber recoling retroactiv\$3 elasti\$3) near5 coupling same (independent\$3 separat\$3) same motor same (disc disk media medium carrier)	USPAT; US-PGPUB	2004/07/13 16:03
-	8	((resin flexib\$4 resilient rubber recoling retroactiv\$3 elasti\$3) near5 coupling same (independent\$3 separat\$3) same motor same (disc disk media medium carrier)) not ((resin flexib\$4 resilient rubber recoling retroactiv\$3 elasti\$3) near5 coupling same (independent\$3 separat\$3) same motor same (disc disk))	USPAT; US-PGPUB	2004/07/13 16:02
-	5	(resin flexib\$4 resilient rubber recoling retroactiv\$3 elasti\$3) near5 coupling same (independent\$3 separat\$3) same motor and 360/\$.ccls.	USPAT; US-PGPUB	2004/07/13 16:04
-	1	(resin flexib\$4 resilient rubber recoling retroactiv\$3 elasti\$3) near5 coupling same (independent\$3 separat\$3) same motor and 369/\$.ccls.	USPAT; US-PGPUB	2004/07/13 16:04
-	13	(resin flexib\$4 resilient rubber recoling retroactiv\$3 elasti\$3) near5 coupling same motor and 369/\$.ccls.	USPAT; US-PGPUB	2004/07/13 16:09
-	45	(resin flexib\$4 resilient rubber recoling retroactiv\$3 elasti\$3) near5 coupling same motor and 360/\$.ccls.	USPAT; US-PGPUB	2004/07/14 13:41